## CLAIMS:

- 1. An integral molded part of a plastic material for the analysis and preparation of substances, having at least one surface region and an interior region,
  - wherein said at least one surface region is an open-pore three-dimensional network.
- 2. The molded part according to claim 1, characterized in that said interior region has no open pores.
- 3. The molded part according to either of claims 1 or 2, characterized in that said plastic material is selected from polyamides, polysulfones, polyesters, polycarbonates as well as copolymers and mixtures thereof.
- 4. The molded part according to any of claims 1 to 3, characterized in that reactants are bound to at least a part of said at least one surface region.
- 5. The molded part according to claim 4, characterized in that said reactants are selected from proteins, nucleic acids, carbohydrates, lipids, affinity ligands, effectors of enzymes.
- 6. The molded part according to either of claims 4 or 5, characterized in that said reactants are bound through reactive side chains of said plastic material.
- 7. The molded part according to any of claims 1 to 6, characterized in that said molded part is designed as a pipette tip, microtitration plate, piece of flexible tubing, rod, single or multiple vessel, immersed body sphere or plate.
- A process for the preparation of the molded part according to any of claims 1
  to 7, wherein an integral molded part of a plastic material is partially

dissolved on at least one surface region to form an open-pore surface region which is a three-dimensional network.

- 9. The process according to claim 8, characterized in that a chemical activation of the surface region is effected before, simultaneously with or after said partially dissolving of the surface region.
- 10. A molded part obtainable by a process according to claim 8 or 9.
- 11. Use of a molded part according to at least one of claims 1 to 7 for the analysis and preparation of substances.
- 12. The use according to claim 11, characterized in that said molded part is employed for the identification and quantification of analytes, especially for specific concentration and sample preparation.
- 13. The use according to claim 11, characterized in that said molded part is employed for enriching a substance in a sample, for depleting an interfering substance from a sample, for modifying analytes, especially for the specific cleavage or removal of modifications, such as phosphate moieties, sugar moieties, fatty acid moieties.